

**AquaWorks® MM-SPRAY HD
Cleaning Solution**



MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AquaWorks® MM-SPRAY HD Cleaning Solution

SYNONYM(S): Not available.

**PRODUCT PART
NUMBERS:** 6327

PRODUCT USE: Aqueous alkaline cleaning solution for the removal of grease, oil, dirt, dust, grime, and other soils from a variety of metal and non-metal surfaces. If this product is used in combination with other products, refer to the Material Safety Data Sheets for those products.

	24-HOUR EMERGENCY PHONE NUMBERS	
These numbers are for emergency use only. If you desire non-emergency product information, please call a phone number listed below.	MEDICAL:	TRANSPORTATION (SPILL):
	1-800-752-7869	1-800-468-1760

MANUFACTURER:
The ArmaKleen Company
469 North Harrison Street
Princeton, NJ 08543
USA
(609) 683-5900

SUPPLIER:
Safety-Kleen Systems, Inc.
5400 Legacy Drive, Cluster II, Building 3
Plano, TX 75024
USA
(800) 669-5740

TECHNICAL INFORMATION: 1-800-332-5424

SAFETY-KLEEN MSDS FORM NUMBER: 82910
THE ARMAKLEEN COMPANY MSDS NUMBER: 815

ISSUE: December 16, 2005

ORIGINAL ISSUE: June 18, 2002

SUPERSEDES: July 14, 2004

PREPARED BY: ArmaKleen MSDS Coordinator

APPROVED BY: The ArmaKleen Company

AquaWorks® MM-SPRAY HD Cleaning Solution
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

WT%	NAME	SYNONYM	CAS NO.	OSHA PEL		ACGIH TLV®		LD ^a	LC ^b
				TWA	STEL	TWA	STEL		
1 to 5	Potassium Carbonate	Potash	584-08-7	N. Av.	N. Av.	10mg/m ^{3,c}	N. Av.	2000	>4.96mg/L
60 to 100	Water	Water	7732-18-5	N. Av.	N. Av.	N. Av.	N. Av.	N. Av.	N. Av.
N.Av. = Not Available		^a Oral-Rat LD ₅₀ (mg/kg)				^c Particulates not otherwise classified			
		^b Inhalation LC ₅₀							

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

APPEARANCE
 Liquid, clear, light straw color, and mild detergent odor.

DANGER!

HEALTH HAZARDS
 May cause irritation of the respiratory tract (nose, throat, and lungs), eyes, skin, and digestive tract.
 Contains material which may cause eye damage.
 May be harmful if swallowed.

POTENTIAL HEALTH EFFECTS

- INHALATION (BREATHING):** Vapor or mist may cause irritation the respiratory tract (nose, throat, and lungs). Symptoms include sore throat, coughing, shortness of breath, and/or irritation to mucous membranes.
- EYES:** May cause irritation, redness, pain, blurred vision, and/or eye damage if not treated immediately.
- SKIN:** May cause irritation, redness, drying and cracking of the skin. This product may be heated during use. Contact with hot product can cause serious thermal burns. Not likely to be absorbed through the skin in harmful amounts
- INGESTION (SWALLOWING):** May be harmful if swallowed. May cause painful swallowing, nausea, vomiting, and/or stomach pains. May cause mouth, throat, and/or gastrointestinal irritation or discomfort. Breathing product into the lungs during ingestion or vomiting may cause irritation to mucous membranes of the lungs.

AquaWorks® MM-SPRAY HD Cleaning Solution
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

CHRONIC: Prolonged or repeated inhalation may cause irritation to mucous membranes. Prolonged or repeated skin contact may cause drying, cracking, redness, itching, and swelling (dermatitis).

CANCER INFORMATION: No known carcinogenicity.

POTENTIAL ENVIRONMENTAL EFFECTS
Not available.

SECTION 4: FIRST AID MEASURES

INHALATION: (BREATHING) Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Oxygen should only be administered by qualified personnel. Someone should stay with victim. Get medical attention if breathing difficulty persists.

EYES: If irritation or redness from exposure to vapor develops, move away from exposure into fresh air and flush eyes with water for 5 minutes. Upon direct contact with liquid, immediately flush eyes with plenty of water for 15 minutes while holding eyelids apart. Get medical attention.

SKIN: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water. Get medical attention if irritation or pain develops or persists. Wash contaminated clothing before reuse. Discard shoes that cannot be cleaned thoroughly or that have been saturated with the product.

INGESTION: (SWALLOWING) Give water to drink. DO NOT induce vomiting. If spontaneous vomiting occurs, keep head below hips to avoid breathing the product into the lungs. **Never give anything to an unconscious person by mouth.** Get medical attention or call medical emergency telephone number (1-800-752-7869) for additional information if symptoms develop.

NOTE TO PHYSICIANS: Treat symptomatically and supportively. Avoid gastric lavage. Treatment may vary with condition of victim and specifics of incident. Call 1-800-752-7869.

AquaWorks® MM-SPRAY HD Cleaning Solution
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT: greater than 212°F (100°C)

FLAMMABLE LIMITS IN AIR: Not applicable.


AUTOIGNITION TEMPERATURE: Not applicable.

HAZARDOUS COMBUSTION PRODUCTS: Product itself does not burn, but may decompose upon heating to produce carbon monoxide, carbon dioxide, and oxides of potassium.

CONDITIONS OF FLAMMABILITY: Product will not burn.

EXTINGUISHING MEDIA: Not applicable.

NFPA 704 HAZARD IDENTIFICATION: This information is intended solely for the use by individuals trained in this system.



FIRE FIGHTING INSTRUCTIONS: Keep storage containers cool with water spray. A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

FIRE AND EXPLOSION HAZARDS: Heated containers may rupture. “Empty” containers may retain residue and can be dangerous. Not sensitive to mechanical impact or static discharge.

AquaWorks® MM-SPRAY HD Cleaning Solution
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spilled product is slippery. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain away from surface waters and sewers. Neutralize the spill with dilute acid to lower pH. Contain spill as a liquid for possible recovery or sorb with compatible sorbent material and shovel with a clean tool into a sealable container for disposal.

Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

There may be additional regulatory reporting requirements associated with spills, leaks, or releases of this product.

SECTION 7: HANDLING AND STORAGE

HANDLING: Do not breathe vapor or mist. Use in a well ventilated area. Avoid contact with eyes, skin, and clothing.

SHIPPING AND STORING: Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Empty product containers may retain product residue and can be dangerous. See **SECTION 14: TRANSPORT INFORMATION** for Packing Group information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: Use NIOSH-certified, combination N-, P-, or R- series particulate filter respiratory protective equipment when concentration of vapor or mist exceeds applicable exposure limits. Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

EYE PROTECTION: Where eye contact is likely, wear chemical goggles; contact lens use is not recommended.

Where eye contact with hot product is likely, wear chemical goggles and faceshield; contact lens use is not recommended.

AquaWorks® MM-SPRAY HD Cleaning Solution

MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SKIN PROTECTION: Where skin contact is likely, wear nitrile, neoprene, or equivalent protective gloves; use of polyvinyl alcohol (PVA), natural rubber, or equivalent gloves is not recommended.

Where skin contact with hot product is likely, wear thermal protective gloves, sleeves, and apron.

To avoid skin contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, whole body suits, or other protective clothing.

PERSONAL HYGIENE: Use good personal hygiene. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco products. Clean affected clothing, shoes, and protective equipment before reuse. Discard affected clothing, shoes, or protective equipment if they cannot be thoroughly cleaned. Discard leather articles, such as shoes, saturated with the product.

OTHER PROTECTIVE EQUIPMENT: Where spills and splashes are likely, facilities manufacturing, storing or using this product should be equipped with an emergency eyewash and shower, both equipped with clean water, in the immediate work area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE, APPEARANCE, AND ODOR: Liquid, clear, light straw color, and mild detergent odor.

ODOR THRESHOLD: Not available.

MOLECULAR WEIGHT: Not applicable.

SPECIFIC GRAVITY: 1.00 (water = 1)

DENSITY: 8.33 LB/US gal (1000 g/L)

VAPOR DENSITY: less than 1 (air = 1)

VAPOR PRESSURE: 17.5 mm Hg at 68°F (20°C) (approximately)

BOILING POINT: 212°F (100°C)

FREEZING/MELTING POINT: 32°F (0°C)

pH: 12.6

EVAPORATION RATE: Less than 1 (butyl acetate = 1)

SOLUBILITY IN WATER: Complete.

FLASH POINT: greater than 212°F (100°C)

AquaWorks® MM-SPRAY HD Cleaning Solution
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

FLAMMABLE LIMITS IN AIR: Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under normal temperatures and pressures.

INCOMPATIBILITY: Avoid acids, oxidizing agents, or reducing agents, reactive halogens, or reactive metals.

REACTIVITY: Polymerization is not known to occur under normal temperatures and pressures. Not reactive with water.

HAZARDOUS DECOMPOSITION PRODUCTS: None under normal temperatures and pressures.

SECTION 11: TOXICOLOGICAL INFORMATION
--

SENSITIZATION: Based on best current information, there is no known human sensitization associated with this product.

MUTAGENICITY: Based on best current information, there is no known mutagenicity associated with this product.

CARCINOGENICITY: Based on best current information, there is no known carcinogenicity as regulated by OSHA; as categorized by ACGIH A1 or A2 substances; as categorized by IARC Group 1, Group 2A, or Group 2B agents; or as listed by NTP as either known carcinogens or substances for which there is limited evidence of carcinogenicity in humans or sufficient evidence of carcinogenicity in experimental animals.

REPRODUCTIVE TOXICITY: Based on best current information, there is no known reproductive toxicity associated with this product.

TERATOGENICITY: Based on best current information, there is no known teratogenicity associated with this product.

TOXICOLOGICALLY SYNERGISTIC PRODUCT(S): Based on best current information, there are no known toxicologically synergistic products associated with this product.

AquaWorks® MM-SPRAY HD Cleaning Solution
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: No specific data. High pH (alkalinity) of product may be harmful to aquatic life.

OCTANOL/WATER PARTITION COEFFICIENT: Not available.

VOLATILE ORGANIC COMPOUNDS: Contains 0g/L VOC as per EPA Method 24.

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL: Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Safety-Kleen regarding recycling or proper disposal.

USEPA WASTE CODE(S): D002
Based on available data, this information applies to the product as supplied to the user. Processing, use, or contamination by the user may change the waste code(s) applicable to the disposal of this product.

SECTION 14: TRANSPORT INFORMATION

DOT: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Contains Potassium Hydroxide), 8, UN 3266, III

TDG: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (contains potassium hydroxide), 8, UN 3266, III

EMERGENCY RESPONSE GUIDE NUMBER: ERG#154.
Reference *North American Emergency Response Guidebook*

SECTION 15: REGULATORY INFORMATION

USA REGULATIONS

SARA SECTIONS 302 AND 304: This product does not contain any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

AquaWorks® MM-SPRAY HD Cleaning Solution

MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SARA SECTIONS 311 AND 312: This product poses the following health hazards as defined in 40 CFR Part 370 and is subject to the requirements of sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA):
Immediate (Acute) Health Hazard

SARA SECTION 313: This product does not contain toxic chemicals subject to the requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CERCLA: This product contains the following "hazardous substance" listed under the Comprehensive Environmental Response, compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4 with the following reportable quantity (RQ):

<u>Material</u>	<u>% by Wt.</u>	<u>CAS</u>	<u>RQ</u>
Potassium hydroxide	< 1	1310-58-3	1000 LB (454 kg)

TSCA: All the components of this product are listed on, or are automatically included as "naturally occurring chemical substances" on, or exempted from the requirement to be listed on, the TSCA Inventory.

CALIFORNIA: This product does not contain detectable amounts of any chemical known to the State of California to cause cancer.

This product does not contain detectable amounts of any chemical known to the State of California to cause birth defects or other reproductive harm.

CANADIAN REGULATIONS

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS: D2B

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA):

All the components of this product are listed on, or are automatically included as "substances occurring in nature" on, or are exempted from the requirement to be listed on, the Canadian Domestic Substances List (DSL).

AquaWorks® MM-SPRAY HD Cleaning Solution
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 16: OTHER INFORMATION

REVISION INFORMATION: Add VOC Data.

LABEL/OTHER INFORMATION: Not available.

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, The ArmaKleen Company assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either express or implied, or merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which information refers. The data contained on this sheet apply to the product as supplied to the user.

©2005 Printed in the USA.