

Material Name: ArmaKleen Universal Paint Gun Cleaner

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

ArmaKleenTM Universal Paint Gun Cleaner

Product Code

Formula code 42000155

Synonyms

Not available.

Product Use

Aqueous alkaline cleaning solution. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

Restrictions on Use

For professional use only.

MANUFACTURER

Church & Dwight

The ArmaKleenTM Company

469 North Harrison Street

Princeton, NJ 08543

Phone: (800) 332-5424 www.churchdwight.com

SUPPLIER (in the U.S.A.)

Safety-Kleen Systems, Inc. 42 Longwater Drive

Norwell, MA 02061-9149

Phone: 1-800-669-5740

www.safety-kleen.com

SUPPLIER (in Canada)

Safety-Kleen Canada Inc.

25 Regan Road

Brampton, Ontario, Canada L7A 1B2

SDS ID: 820067

Phone: 1-800-669-5740

Emergency Telephone Number

1-800-468-1760

Issue Date

May 5, 2021

Supersedes Issue Date

March 21, 2021

Original Issue Date

March 13, 2009

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States

Acute Toxicity - Dermal - Category 3

Skin Corrosion/Irritation - Category 1A

Serious Eye Damage/Eye Irritation - Category 1

Skin Sensitization - Category 1A

Health Hazard Not Otherwise Classified. - Category 1.

SDS ID: 820067

GHS Label Elements



Signal Word

Danger.

Hazard Statement(s)

Toxic in contact with skin.

Causes severe skin burns and serious eye damage.

May cause an allergic skin reaction.

Causes severe damage to the respiratory tract.

Precautionary Statement(s)

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace.

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Storage

Store locked up. Do not store below 40°F (4.4°C).

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Statement(s) of Unknown Acute Toxicity

Dermal 99% of the mixture consists of ingredient(s) of unknown acute toxicity.

Other hazards

Prolonged or repeated contact may cause defatting and dermatitis.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	93-99
112-24-3	Triethylenetetramine	0.5-1.5

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.

Page 2 of 9 Rev. 05/21

Material Name: ArmaKleen Universal Paint Gun Cleaner

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.

SDS ID: 820067

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

Most Important Symptoms/Effects

Acute

Causes skin burns, eye burns, allergic skin reaction. Causes severe damage to the respiratory tract.

Delayed

Prolonged or repeated contact may cause defatting and dermatitis.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, regular foam, dry chemical, Water spray, water fog,

Unsuitable Extinguishing Media

Do not use high-pressure water streams.

Special Hazards Arising from the Chemical

Negligible fire hazard.

Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide.

Advice for Firefighters

Containers may rupture if heated or exposed to continual naked flame.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Keep storage containers cool with water spray. Heated containers may rupture. "Empty" containers may retain residue and can be dangerous. Product is not sensitive to mechanical impact or static discharge.

Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Spilled product is slippery. Do not touch or walk through spilled product. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, spark proof tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

Page 3 of 9 Rev. 05/21

Section 7 - HANDLING AND STORAGE

SDS ID: 820067

Precautions for Safe Handling

Keep away from naked flame. Do not breathe dust or vapors. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Do not store below 40°F (4.4°C). Store locked up. Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from naked flame. Empty product containers may retain product residue and can be dangerous.

Incompatible Materials

Avoid oxidizing agents and reducing agents, strong acids.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Triethylenetetramine	112-24-3		
Ontario	0.5 ppm TWA ; 3 mg/m3 TWA		
	Danger of cutaneous absorption		

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment Eve/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

Skin Protection/Glove Recommendations

Where skin contact is likely, wear gloves impervious to product; use of natural rubber (latex) or equivalent gloves is not recommended. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant face shield, boots, apron, whole body suits or other protective clothing.

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, Gloves, Lab coat or apron.

Page 4 of 9 Rev. 05/21

Material Name: ArmaKleen Universal Paint Gun Cleaner SDS ID: 820067

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear amber solution	Physical State	Liquid		
Odor	Mild amine odor	Color	Amber		
Odor Threshold	Not available	рН	11.9 (aqueous solution)		
Melting Point	0 °C (32°F)	Boiling Point	100 °C (212°F)		
Boiling Point Range	Not available	Freezing point	Not available		
Evaporation Rate	(equal to water)	Flammability (solid, gas)	Not available		
Autoignition Temperature	Not available	Flash Point	>100 °C		
Lower Explosive Limit	Not available	Decomposition temperature	Not available		
Upper Explosive Limit	Not available	Vapor Pressure	17.6 mmHg@20°C		
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.01		
Water Solubility	(complete)	Partition coefficient: n-octanol/water	Not available		
Viscosity	Not available	Kinematic viscosity	Not available		
Solubility (Other)	Not available	Density	Not available		
Volatile Organic Compounds (As regulated)	0.5 WT%; 0.04 LB/US gal; 5.0 g/L; As per 40 CFR Part 51.100(s) Product Vapor Pressure @20°C = 17.6 mmHg This product, when diluted, is explicitly listed as either an "exempted" or a "Clean Air Solvent" by the South Coast Air Quality Management District (SCAQMD) because it does not contain reactive volatile organic compounds (VOCs) that can react with sunlight and nitrogen-dioxides to create ground-based ozone (smog). Consult with your state/local air pollution control agency and their rules/regulations for specific direction in your specific area. www.aqmd.gov				

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions

Polymerization is not known to occur under normal temperature and pressures. Not reactive with water.

Conditions to Avoid

Avoid naked flame and direct sunlight.

Incompatible Materials

Avoid oxidizing agents, reducing agents, strong acids.

Hazardous decomposition products

None under normal temperatures and pressures. See also SECTION 5: HAZARDOUS COMBUSTION PRODUCTS.

Page 5 of 9 Rev. 05/21

Material Name: ArmaKleen Universal Paint Gun Cleaner

Thermal decomposition products

Carbon monoxide. Nitrogen oxides (NOx).

Section 11 - TOXICOLOGICAL INFORMATION

SDS ID: 820067

Information on Likely Routes of Exposure

Inhalation

Causes severe damage to the respiratory tract.

Skin Contact

Causes burns. May cause allergic skin reaction.

Eye Contact

Causes eye burns.

Ingestion

May cause irritation.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Triethylenetetramine (112-24-3)

Oral LD50 Rat 2500 mg/kg; Dermal LD50 Rabbit 550 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

Dermal	550 mg/kg
Oral	> 2000 mg/kg

Immediate Effects

Causes burns, eye burns, skin burns. May cause allergic skin reaction. Causes severe damage to the respiratory tract.

Delayed Effects

Prolonged or repeated contact may cause defatting and dermatitis.

Irritation/Corrosivity Data

Causes burns. Causes severe damage to the respiratory tract.

Respiratory Sensitization

Based on best current information, there is no known human sensitization associated with this product.

Dermal Sensitization

May cause allergic skin reaction.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

Based on best current information, there is no known teratogenicity associated with this product.

Experimental evidence suggests that this product does not cause mutagenesis.

Tumorigenic Data

No data available

Reproductive Toxicity

Based on best current information, there is no known reproductive toxicity associated with this product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

Based on available data, the classification criteria are not met.

Page 6 of 9 Rev. 05/21

Material Name: ArmaKleen Universal Paint Gun Cleaner

Medical Conditions Aggravated by Exposure

Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

SDS ID: 820067

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Triethylenetetramine	112-24-3		
Fish:	LC50 96 h Poecilia reticulata 570 mg/L [semi-static]; LC50 96 h Pimephales promelas 495 mg/L		
Algae:	EC50 72 h Desmodesmus subspicatus 2.5 mg/L IUCLID ; EC50 72 h Pseudokirchneriella subcapitata 20 mg/L IUCLID ; EC50 96 h Pseudokirchneriella subcapitata 3.7 mg/L EPA		
Invertebrate:	EC50 48 h Daphnia magna 31.1 mg/L IUCLID		

Invertebrate Toxicity

No additional information is available.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact ArmaKleen regarding proper recycling or disposal.

Section 14 - TRANSPORT INFORMATION

US DOT Information: Not regulated for transport.
IATA Information: Not regulated for transport.
TDG Information: Not regulated for transport.

International Bulk Chemical Code

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Triethylenetetramine	112-24-3
IBC Code:	Category Y

Section 15 - REGULATORY INFORMATION

Canada Regulations

CEPA - Priority Substances List

None of this product's components are on the list.

Page 7 of 9 Rev. 05/21

Material Name: ArmaKleen Universal Paint Gun Cleaner

Ozone Depleting Substances

None of this product's components are on the list.

Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list.

Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list.

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SDS ID: 820067

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories

Acute Health: Yes Chronic Health: No Fire: No Pressure: No Reactivity: No

Not listed under California Proposition 65.

Component Analysis - Inventory

Triethylenetetramine (112-24-3)

US	CA	AU	CN	Е	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	E	IN	Yes	Yes		Yes	No
KR - REACH CCA		\]	MX	NZ	PH	TH- TECI	TW	VN (Draft)		
No		,	Yes	Yes	Yes	Yes	Yes	Yes		

Section 16 - OTHER INFORMATION

Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 20 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

NFPA Ratings

Health: 2 Fire: 0 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Update to chemical emergency phone number and VOC information.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC – European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -

Page 8 of 9 Rev. 05/21

Material Name: ArmaKleen Universal Paint Gun Cleaner

International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

SDS ID: 820067

Other Information

Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, ArmaKleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 9 of 9 Rev. 05/21