



Material Name: ArmaKleen[™] BIO 24 Concentrate

SDS ID: 820233

I Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

ARMAKLEEN™ BIO 24

Product Code

Not available.

Product Use

Concentrated cleaner must be diluted prior to use to meet local, state, and provincial VOC emission regulations. Diluted product is suitable for spray, immersion, or manual parts washer operation. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.



This product is a USDA Certified BioPreferred Product. Diluted for Use Product (5 and 10% solutions) meet Green Seal[™] Standard GS-34 based on effective performance and protective limits on: VOCs, ozone depleting chemicals, and human & environmental toxicity. GreenSeal.org.

Restrictions on Use

For professional use only.

MANUFACTURER

Church & Dwight The ArmaKleen[™] Company 469 North Harrison Street Princeton, NJ 08543 Phone: (800) 332-5424 www.churchdwight.com SUPPLIER (in the U.S.A.) Safety-Kleen Systems, Inc. 42 Longwater Drive Norwell, MA 02061-9149 Phone: 1-800-669-5740 www.safety-kleen.com

SUPPLIER (in Canada)

Safety-Kleen Canada Inc. 25 Regan Road Brampton, Ontario, Canada L7A 1B2 Phone: 1-800-669-5740

Emergency Telephone Number

Médicale : 1-888-234-1828 Chimique : 1-800-255-3924 (CHEMTEL)

Issue Date

May 5, 2021 Supersedes Issue Date March 21, 2021 Original Issue Date May 31, 2017

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with Schedule 1 of Hazardous Products Regulations (HPR)(SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200.

Corrosive to Metals - Category 1

Material Name: ArmaKleen™ BIO 24 Concentrate

GHS Label Elements Symbol(s)



Signal Word Warning Hazard Statement(s) May be corrosive to metals.

Precautionary Statement(s)

Prevention

Keep only in original container.

Response

Absorb spillage to prevent material damage.

Storage

Store in corrosive resistant container with a resistant inner liner. Do not store below 40°F (4.4°C)

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

Contact with diluted heated product can cause serious thermal burns.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent	
7732-18-5	Water	59-65	
68-04-2	Trisodium citrate dihydrate	11-12.5	
1984-06-1	Sodium caprylate	8.6-9.5	
68439-45-2	Poly ethoxylated alcohol	3.3-3.7	
61791-26-2	Poly ethoxylated tallow amine	3.1-3.5	

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin

IF ON SKIN: Take off immediately all contaminated clothing Rinse skin with water/shower. Wash contaminated clothing before use. If skin irritation occurs: Call a POISON CENTER or doctor. For thermal burns caused by diluted heated product, remove affect clothing and shoes. Wash thoroughly with cool water. Apply cool packs or ice.

Material Name: ArmaKleen™ BIO 24 Concentrate

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most Important Symptoms/Effects

Acute

May cause eye and skin irritation. Contact with diluted heated product can cause severe burns to the eyes and skin and can result in permanent eye damage.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, regular foam, dry chemical, water spray, water fog. Water or foam may cause frothing.

Unsuitable Extinguishing Media

Do not use high-pressure water streams.

Special Hazards Arising from the Chemical

Negligible fire hazard. Heated diluted product may cause thermal burns.

Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce oxides of carbon, oxides of sodium, oxides of nitrogen, unidentified organic compounds.

Advice for firefighters

Containers may rupture if heated or exposed to continual naked flame.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Keep storage containers cool with water spray. "Empty" containers may retain residue and can be dangerous. Product is not sensitive to mechanical impact or state discharge.

Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

Spilled product is slippery. Do not touch or walk through spilled product. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

Material Name: ArmaKleen[™] BIO 24 Concentrate

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from naked flame. Do not breathe dust or vapors. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Store in corrosive resistant container with a resistant inner liner. Do not store below 40°F (4.4°C). Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from naked flame. Empty product containers may retain product residue and can be dangerous.

Incompatible Materials

Metals, strong oxidizing materials, acids, combustible materials, halocarbons, halogens, peroxides, metal salts, bases, reducing agents.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

Skin Protection/Glove Recommendations

Where skin contact is likely, wear gloves impervious to product; use of natural rubber (latex) or equivalent gloves is not recommended. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant face shield, boots, apron, whole body suits or other protective clothing. When diluted product is heated and skin contact is likely, wear heat-resistant gloves, boots, and other protective clothing.

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses. Gloves, lab coat or apron.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear yellow liquid	Physical State	Liquid
Odor	Mild odor	Color	Not available

Material Name: ArmaKleen™ BIO 24 Concentrate

SDS ID: 820233

Odor Threshold	Not available	рН	10.5	
Melting Point	Not available	Boiling Point	100 °C (212 °F)	
Boiling Point Range	Not available	Freezing point	Not available	
Evaporation Rate	Same as water	Flammability (solid, gas)	Not available	
Autoignition Temperature	Not available	Flash Point	None	
Lower Explosive Limit	Not available	Decomposition temperature	Not available	
Upper Explosive Limit	Not available	Vapor Pressure	<17.5 mmHg @ 20 °C	
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.09	
Water Solubility	Soluble	Partition coefficient: n- octanol/water	Not available	
Viscosity	Same as water	Kinematic viscosity	Not available	
Solubility (Other)	Complete	Density	1.09 g/mL	
Physical Form	liquid	Molecular Weight	Not available	
Volatile Organic Content (per lab testing)	3.63 WT%; 0.33 LB/US gal; 40 g/L Product Vapor Pressure @20°C = 17.5 mmHg This product, when diluted, is explicitly listed as either an "exempted" or a "Clean Air Solvent" by the South Coast Air Quality Management District (SCAQMD) because it does not contain reactive volatile organic compounds (VOCs) that can react with sunlight and nitrogen-dioxides to create ground- based ozone (smog). Consult with your state/local air pollution control agency and their rules/regulations for specific direction in your specific area. www.aqmd.gov			

Section 10 - STABILITY AND REACTIVITY

Reactivity

Reacts: aluminum.

Chemical Stability

Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid naked flame and direct sunlight.

Incompatible Materials

Aluminum, metals, strong oxidizing materials, acids, combustible materials, halocarbons, halogens, peroxides, metal salts, bases, reducing agents

Hazardous decomposition products

None under normal temperatures and pressures. See also SECTION 5: HAZARDOUS COMBUSTION PRODUCTS.

Section 11 - TOXICOLOGICAL INFORMATION	
Information on Likely Routes of Exposure	
Inhalation	
Irritation	
Skin Contact	
Irritation. Contact with diluted heated product may cause serious thermal burns.	
Eye Contact	
Irritation	
Ingestion	
Irritation, nausea, vomiting, stomach pain.	
Acute and Chronic Toxicity	
Component Analysis - LD50/LC50	
The components of this material have been reviewed in various sources and the following	ng selected
endpoints are published:	
Water (7732-18-5)	
Oral LD50 Rat >90 mL/kg	
Product Toxicity Data	
Acute Toxicity Estimate	
No data available.	
Immediate Effects	
May cause eye and skin irritation.	
Delayed Effects	
No information on significant adverse effects.	
Irritation/Corrosivity Data	
Irritation. Contact with diluted heated material may cause burns.	
Respiratory Sensitization	
No information available for the product.	
Dermal Sensitization	
No information available for the product.	
Component Carcinogenicity	
None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA	
Germ Cell Mutagenicity	
No information available for the product.	
Tumorigenic Data	
No information available for the product.	
Reproductive Toxicity	
No information available for the product.	
Specific Target Organ Toxicity - Single Exposure	
No target organs identified.	
Specific Target Organ Toxicity - Repeated Exposure	
No target organs identified.	
Aspiration hazard	
Not expected to be an aspiration hazard.	
Medical Conditions Aggravated by Exposure	
Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin d	lisorders mav have
increased susceptibility to the effects of exposure.	- ,
Additional Data	
· · · · · · · · · · · · · · · · · · ·	

Material Name: ArmaKleen[™] BIO 24 Concentrate

SDS ID: 820233

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Trisodium citrate	68-04-2		
Fish:	LC50 96 h Poecilia reticulata 18000 - 32000 mg/L		
Invertebrate:	EC50 48 h Daphnia magna 5600 - 10000 mg/L IUCLID		

Invertebrate Toxicity

No additional information is available.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of used and unused product in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact ArmaKleen regarding proper recycling or disposal.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components

Section 14 - TRANSPORT INFORMATION

US DOT Information: Shipping Name: CORROSIVE LIQUIDS, N.O.S. , (Contains: SODIUM CITRATE) Hazard Class: 8 UN/NA #: UN1760 Packing Group: III Required Label(s): 8

ICAO Information: Shipping Name: CORROSIVE LIQUID, N.O.S., (Contains: SODIUM CITRATE) Hazard Class: 8 UN#: UN1760 Packing Group: III Required Label(s): 8

IMDG Information: Shipping Name: CORROSIVE LIQUID, N.O.S., (Contains: SODIUM CITRATE) Hazard Class: 8 UN#: UN1760 Packing Group: III Required Label(s): 8

Material Name: ArmaKleen™ BIO 24 Concentrate

TDG Information: Shipping Name: CORROSIVE LIQUID, N.O.S. , (Contains: SODIUM CITRATE) Hazard Class: 8 UN#: UN1760 Packing Group: III Required Label(s): 8 International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2017 reporting categories

Corrosive to Metals

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA

Not listed under California Proposition 65

Canada Regulations

Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

Component Analysis - Inventory

Trisodium citrate (68-04-2)

US	CA	AU	Cì	N E	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Ye	es El	IN	Yes	Yes		Yes	No
KR - REACH CCA		1	MX	NZ	РН	TH-TECI	TW	VN (Draft)		
No				Yes	Yes	Yes	Yes	Yes	Yes	

Section 16 - OTHER INFORMATION

Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

NFPA Ratings

Health: 1 Fire: 0 Reactivity: 1 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Update to chemical emergency phone number and VOC information.

Safety Data Sheet Material Name: ArmaKleen™ BIO 24 Concentrate

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP -Classification, Labelling, and Packaging; CPR - Controlled Products Regulations; DOT - Department of Transportation; DSL - Domestic Substances List; EPA - Environmental Protection Agency; F - Fahrenheit; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts[™] - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NDSL - Non-Domestic Substance List (Canada); NFPA -National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR -New Jersey Trade Secret Registry; NTP - National Toxicology Program; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; RCRA - Resource Conservation and Recovery Act; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, ArmaKleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.