

Material Name: ArmaKleen M-Aero Concentrate SDS ID: 82796

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

ArmaKleen M-Aero Concentrate

Product Code

6330, 6430

Formula Code 42000120

Synonyms

Not available.

Product Use

Aqueous, alkaline, concentrated cleaner that is to be diluted with water. Concentrated cleaner must be diluted prior to use to meet local, state, and provincial VOC emission regulations. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

SUPPLIER (in Canada)

Safety-Kleen Canada Inc.

Phone: 1-800-669-5740

Brampton, Ontario, Canada L1A 1B2

25 Regan Road

Restrictions on Use

For professional use only.

MANUFACTURER **SUPPLIER** (in the U.S.A.)

Church & Dwight The ArmaKleenTM Company

469 North Harrison Street Princeton, NJ 08543

Phone: (800) 332-5424

www.churchdwight.com

Safety-Kleen Systems, Inc. 42 Longwater Drive

Norwell, MA 02061 Phone: 1-800-669-5740

www.safety-kleen.com

Emergency Telephone Number

Medical: 1-888-234-1828 Chemical: 1-800-255-3924 (CHEMTEL)

Issue Date

May 5, 2021

Supersedes Issue Date

March 21, 2021

Original Issue Date

July 16, 1996

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States

Skin Corrosion/Irritation - Category 1A

Serious Eye Damage/Eye Irritation - Category 1

Skin Sensitization - Category 1A

Material Name: ArmaKleen M-Aero Concentrate SDS ID: 82796

GHS Label Elements



Signal Word

Danger.

Hazard Statement(s)

Causes severe skin burns and eye damage.

May cause allergic skin reaction.

Precautionary Statement(s)

Prevention

Do not breathe mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace.

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor physician.

Storage

Store locked up. Do not store below 40°F (4.4°).

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Prolonged or repeated contact may cause defatting and dermatitis. May cause respiratory tract irritation. Contact with diluted heated product can cause serious thermal burns.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	72-79
1310-73-2	Sodium hydroxide	1.4-1.6
497-19-8	Disodium carbonate	2.4-2.6
1344-09-8	Sodium silicate	1.9-2.1
2687-94-7	2-Pyrrolidinone, 1-octyl-	1.9-2.1
23783-26-8	Acetic acid, hydroxyphosphono-	0.25-0.27

Page 2 of 9 Rev. 05/21

Material Name: ArmaKleen M-Aero Concentrate

Section 4 - FIRST AID MEASURES

SDS ID: 82796

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse with water/shower. Wash contaminated clothing before use. If skin irritation occurs: Call a POISON CENTER or doctor. For thermal burns caused by diluted heated product, remove affected clothing and shoes. Wash thoroughly with cool water. Apply cool packs or ice.

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion

IF SWALLOWED: Rinse mouth. If swallowed, do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

Most Important Symptoms/Effects

Acute

Causes skin burns, eye burns, an allergic skin reaction. Contact with diluted heated product can cause severe burns to the eyes and skin and can result in permanent eye damage.

Delayed

Prolonged or repeated contact may cause defatting and dermatitis.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, regular foam, dry chemical, water spray, water fog,

Unsuitable Extinguishing Media

Do not use high-pressure water streams.

Special Hazards Arising from the Chemical

Negligible fire hazard. Heated diluted product may cause thermal burns.

Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide, nitrogen oxide.

Advice for firefighters

Containers may rupture if heated or exposed to continual naked flame.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Keep storage containers cool with water spray. "Empty" containers may retain residue and can be dangerous. Product is not sensitive to mechanical impact or static discharge.

Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Page 3 of 9 Rev. 05/21

Material Name: ArmaKleen M-Aero Concentrate

Methods and Materials for Containment and Cleaning Up

Spilled product is slippery. Do not touch or walk through spilled product. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, spark proof tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

SDS ID: 82796

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from naked flame. Do not breathe dust or vapors. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Do not store below 40°F (4.4°F). Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from naked flame. Empty product containers may retain product residue and can be dangerous.

Incompatible Materials

Avoid oxidizing agents and reducing agents, strong acids.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Sodium hydroxide	1310-73-2
Canada	2 mg/m3 Ceiling
ACGIH, OSHA, NIOSH	2 mg/m3 Ceiling

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment Eve/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

Skin Protection/Glove Recommendations

Where skin contact is likely, wear gloves impervious to product; use of natural rubber (latex) or equivalent gloves is not recommended. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant face shield, boots, apron, whole body suits or other protective clothing. When diluted product is heated and skin contact is likely, wear heat-resistant gloves, boots, and other protective clothing.

Page 4 of 9 Rev. 05/21

Material Name: ArmaKleen M-Aero Concentrate

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, gloves, lab coat or apron.

SDS ID: 82796

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear solution	Physical State	Liquid
Odor	Mild ,soapy odor	Color	Tan
Odor Threshold	Not available	рН	11.6 (aqueous solution)
Melting Point	Not available	Boiling Point	100 °C (212°F)
Boiling Point Range	Not available	Freezing point	32°F (0°C)
Evaporation Rate	(equal to water.)	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	>100 °C (212°F)
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	17.5 mm Hg @ 68°F (20°C) (approximately)
Vapor Density (air=1)	Less than air	Specific Gravity (water=1)	1.05
Water Solubility	(complete)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	8.8 lb/US gal (1050 g/L)	Molecular Weight	Not available
Volatile Organic Compounds (As regulated)	2.04 WT%; 0.175 LB/US gal; 21g/L; As per 40 CFR Part 51.100(s) Product Vapor Pressure @20°C = 17.5 mmHg This product, when diluted, is explicitly listed as either an "exempted" or a "Clean Air Solvent" by the South Coast Air Quality Management District (SCAQMD) because it does not contain reactive volatile organic compounds (VOCs) that can react with sunlight and nitrogen-dioxides to create ground-based ozone (smog). Consult with your state/local air pollution control agency and their rules/regulations for specific direction in your specific area. www.aqmd.gov		

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal temperatures and pressures.

Page 5 of 9 Rev. 05/21

Material Name: ArmaKleen M-Aero Concentrate

Possibility of Hazardous Reactions

Polymerization is not known to occur under normal temperature and pressures. Not reactive with water.

SDS ID: 82796

Conditions to Avoid

Avoid naked flame and direct sunlight.

Incompatible Materials

Avoid oxidizing agents, reducing agents, strong acids.

Hazardous decomposition products

None under normal temperatures and pressures. See also SECTION 5: HAZARDOUS COMBUSTION PRODUCTS.

Thermal decomposition products

Carbon monoxide, nitrogen oxides (NOx), hydrogen.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

May cause irritation.

Skin Contact

Causes burns. May cause allergic skin reaction. Contact with diluted heated product may cause serious thermal burns.

Eye Contact

Causes eye burns.

Ingestion

May cause irritation.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Sodium hydroxide (1310-73-2)

Dermal LD50 Rabbit 1350 mg/kg

Disodium carbonate (497-19-8)

Oral LD50 Rat 4090 mg/kg, Dermal LD50 Mouse 2210 mg/kg, Inhalation LC50 Rat 2300 mg/m3 2 h

Sodium silicate (1344-09-8)

Oral LD50 Rat 1960 mg/kg

2-Pyrrolidinone, 1-octyl- (2687-94-7)

Oral LD50 Rat 2050 mg/kg, Dermal LD50 Rabbit 2000 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Oral	> 2000 mg/kg

Immediate Effects

Causes burns, eye burns, skin burns. May cause allergic skin reaction.

Delayed Effects

Prolonged or repeated contact may cause defatting and dermatitis.

Irritation/Corrosivity Data

Causes burns. Contact with diluted heated material may cause burns.

Respiratory Sensitization

Based on best current information, there is no known human sensitization associated with this product.

Dermal Sensitization

May cause allergic skin reaction.

Page 6 of 9 Rev. 05/21

SDS ID: 82796

Material Name: ArmaKleen M-Aero Concentrate

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

Based on best current information, there is no known teratogenicity associated with this product.

Experimental evidence suggests that this product does not cause mutagenesis.

Tumorigenic Data

No data available

Reproductive Toxicity

Based on best current information, there is no known reproductive toxicity associated with this product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

Based on available data, the classification criteria are not met.

Medical Conditions Aggravated by Exposure

Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Sodium hydroxide	1310-73-2	
Fish:	LC50 96 h Oncorhynchus mykiss 45.4 mg/L [static]	
Disodium carbonate	497-19-8	
Fish:	LC50 96 h Lepomis macrochirus 300 mg/L [static]; LC50 96 h Pimephales promelas 310 - 1220 mg/L [static]	
Invertebrate:	EC50 48 h Daphnia magna 265 mg/L IUCLID	
Sodium silicate	1344-09-8	
Fish:	LC50 96 h Lepomis macrochirus 301 - 478 mg/L; LC50 96 h Brachydanio rerio 3185 mg/L [semi-static]	

Invertebrate Toxicity

No additional information is available.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Page 7 of 9 Rev. 05/21

Material Name: ArmaKleen M-Aero Concentrate SDS ID: 82796

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

The U.S. EPA has not published waste numbers for this product's components. Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact ArmaKleen regarding proper recycling or disposal.

Section 14 - TRANSPORT INFORMATION

US DOT Information: Not regulated for transport.

IATA Information: Not regulated for transport.

TDG Information: Not regulated for transport.

Section 15 - REGULATORY INFORMATION

Canada Regulations

CEPA - Priority Substances List

None of this product's components are on the list.

Ozone Depleting Substances

None of this product's components are on the list

Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list

Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list

U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Sodium hydroxide	1310-73-2
CERCLA:	1000 lb final RQ ; 454 kg final RQ

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: Yes Chronic Health: No Fire: No Pressure: No Reactivity: No

Component Analysis - Inventory

Sodium hydroxide (1310-73-2), Disodium carbonate (497-19-8), Sodium silicate (1344-09-8), 2-Pyrrolidinone, 1-octyl- (2687-94-7), Acetic acid, hydroxyphosphono- (23783-26-8)

US	CA
Yes	DSL

Not listed under California Proposition 65.

Page 8 of 9 Rev. 05/21

Material Name: ArmaKleen M-Aero Concentrate

Section 16 - OTHER INFORMATION

SDS ID: 82796

Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Product Regulations (HPR)

NFPA Ratings

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe

Summary of Changes

Update to chemical emergency phone number and VOC information.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP -Classification, Labelling, and Packaging; CPR - Controlled Products Regulations; DOT - Department of Transportation; DSL - Domestic Substances List; EPA - Environmental Protection Agency; F - Fahrenheit; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NDSL - Non-Domestic Substance List (Canada); NFPA -National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR -New Jersey Trade Secret Registry; NTP - National Toxicology Program; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; RCRA - Resource Conservation and Recovery Act; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; WHMIS - Workplace Hazardous Materials Information System (Canada).

Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, ArmaKleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 9 of 9 Rev. 05/21